

Document type
SPECIFICATION
Approved by (department acronym, name)
EDI Manager
Issued by (department acronym name phone)
Edi.development@scania.com

Title SCANIA DESADV FOR SEQUENCE Issue Date 2022-04-11 Date 2023-05-24 Issue
3.1
Info class
Public
Page
1 / 33

SCANIA DESADV FOR SEQUENCE

GLOBAL DESADV



Title SCANIA DESADV FOR SEQUENCE Issue Date 2022-04-11 Date 2023-05-24 Issue
1.1
Info class
Public
Page
2 / 33

GENERAL 3 Global Despatch Advice DESADV specification. 3 Message Description 5 Message Structure 6 Branching Diagram 7 Segment Details 11



Document type
SPECIFICATION
Approved by (department acronym, name)
EDI Manager
Issued by (department acronym name phone)
Edi.development@scania.com

Title SCANIA DESADV FOR SEQUENCE Issue Date 2022-04-11 Date 2023-05-24 Issue
3.1
Info class
Public
Page
3 / 33

MESSAGE DESCRIPTION

GENERAL

Global Despatch Advice DESADV specification.

The specification is based on The Joint Automotive Industries (JAI) Global DESADV. Based on EDIFACT Directory, D08A, www.odette.org
The Scania Despatch Advice for Sequenced Deliveries http://supplier.scania.com

The Scania Despatch Advice for Sequenced Deliveries http://supplier.scania.com (Miscellaneous, EDI)

Differences between Global Despatch Advice for Sequenced Deliveries version 1.0 and the current Scania AVIEXP Version 2.1 Functional profile Odette AVIEXP V5R1 and Odette AVIEXP version 3.

- UNH, message header 0057 associated assigned codes will identify this specification.
- Consignee, NAD 3035, value CN is changed to Ship To, NAD 3035 ST.
- LOC segments are added. One message shall be created per LOC (7) Place of delivery.
- Consignor, NAD 3035, value CZ is changed to Ship From, NAD 3035 SF.
- PCI 4233 (17) "Not used".
- Manufacturing Reference Number added in GIR 7405. One CPS loop shall be created per Manufacturing Reference Number.
- GIN 7405 (Manufacturers) Serial number has been added. This information shall only be used in special conditions and on request from Scania.
- GIR 7405 Marking/Label Number is moved to GIN 7405.
- LIN 1222 "Not used"

Differences between Global Despatch Advice for Sequenced Deliveries version D07A and D08A

- UNH
 - 0057 Association assigned code changed to SEQ to separate the existing DESADV D08A from the new D08A for migration purposes
- GIR
 - Vehicle Identity and Production Reference ID has been collaborated into same segment with different qualifiers
 - 7297 has been changed to 4 instead of one to collaborate both Vehicle Identify number and Production reference ID
 - o 7402 [1]
 - Collected from GIR+4 in DELJIT
 - Qualifier in 7405 has been changed to VV instead of AN
 - 0 7402 [3]
 - Collected from GIR+14 in DELJIT
 - Qualifier used in 7405 (AN)
- RFF
 - RFF (SG3) after Seller (NAD+SE) added for in preparation for self-billing.



Document type
SPECIFICATION
Approved by (department acronym, name)
EDI Manager
Issued by (department acronym name phone)
Edi.development@scania.com

Title SCANIA DESADV FOR SEQUENCE Issue Date 2022-04-11 Date 2023-05-24 Issue
3.1
Info class
Public
Page
4 / 33

MESSAGE DESCRIPTION

The purpose of the DESADV message.

The purpose of the despatch advice message is to provide the final "Ship to" with detailed information relating to the actual contents of a despatch sent by a "Ship from". The message is based upon the definition of a despatch as a specified amount of goods sent by a specified "Ship from" to a specified "Ship to" on a specific occasion. Information on location and manufacturing reference numbers are added to the message to ensure the Ship to party that they received delivery for all "chassis" per production location.

Create a DESADV.

The structure of this message is different compared to DESADV for batch deliveries.

- One CPS loop shall be created per identical packages per Vehicle reference number.
- All articles in a same package shall be given in the same CPS loop by repeating the LIN loop per article number.

The contents of a DESADV shall reflect the real contents of the consignment.

- Transmission of the message must not take place before the time that the consignment leaves the Ship from (Supplier).
- The supplier is obliged to ensure that the DESADV reaches Scania well in advance of the goods arriving to Scania. At all times the supplier must be capable of submitting the DESADV within one hour of the consignment leaving the consignor. DESADV sent too late will cause the same problem at the goods reception at Scania as when a DESADV is not sent at all.
- Information is always collected from the most recent DELJIT and DELFOR.
- Non-significant zeros and blanks in data strings should be suppressed. However, it alphanumeric
 field contains leading zeros for some data and the same data occurs in EDI messages and/or
 transport labels and/or accompanying documents then the leading zeros must occur in all
 instances. In such a case the leading zeros are to be looked upon a being significant.



Document type
SPECIFICATION

Approved by (department acronym, name)

EDI Manager

Issued by (department acronym name phone)
Edi.development@scania.com

Title SCANIA DESADV FOR SEQUENCE Issue Date 2022-04-11 Date

2023-05-24

Issue
3.1
Info class
Public
Page
5 / 33

MESSAGE DESCRIPTION

Simple Sequence - message example

This example is a sequence message from Scania's plant CHA to supplier 7777 indicating one sequence with No Change and two added new sequences. The sequence message contains three different part numbers for two different vehicle IDs and two different assembly dates/times. DTM+194 is the sequence ID, GIR+4 is only additional information to the sequence ID.

Service Segments

UNB+UNOA:1+02389390366:OD+094200005560840976PU0002:OD+080916:1722+12' UNH+120001+DESADV:D:08A:UN:GBSA11'

Sequence Message Header

BGM+351+806802'

DTM+137:200809091305:203' MEA+AAX+AAD+E4:1758'

NAD+ST+CHA::92' LOC+11+230G'

LOC+7+230BA FRONT'

NAD+SE+7465::92' NAD+SF+7433::92' NAD+MF+7475::92'

DESADV message (First Loop)

CPS+1++1' PAC+1'

PCI++++S::10'

GIR+4+2345685:VV+49-0124:AB+A123456789:AN'

GIN+ML+141254003' LIN+++1523109:IN' QTY+12:1:C62' RFF+ON:01231201' LIN+++1523456:IN' QTY+12:1:C62' RFF+ON:01231201'

DESADV message (Second Loop)

CPS+2++1' PAC+1'

PCI++++S::10'

GIR+4+2345686:VV+49-0125:AB+A123456710:AN'

GIN+ML+141254004' LIN+++1523109:IN' QTY+12:1:C62' RFF+ON:01231201' LIN+++1523456:IN' QTY+12:1:C62' RFF+ON:01231201'

Message Trailer

UNT+35+120001'

UNZ+1+12

← Ship To ID

← Unloading point

← Production Address (Used to separate different sequence flows)

← Seller ID ← Ship From ID

← Manufacturer ID

← Number of Packages

← Package Information

← Vehicle and Production Reference ID

← Goods Marking Label

← Article Number

← Article Quantity

← Scania Order Number

← Article Number

← Article Quantity

← Scania Order Number



Title SCANIA DESADV FOR SEQUENCE Issue Date 2022-04-11 Date 2023-05-24 Issue
1.1
Info class
Public
Page
6 / 33

MESSAGE STRUCTURE

	No. Tag	St	MaxRep	Content	Example
	01 UNH	М	1	Message header	UNH+1+DESADV:D:08A:UN:GBSA11
	02 BGM	М	1	Beginning of message	BGM+351+546756'
	03 DTM	R	1	Despatch advice date	DTM+137:200809041102:203'
	04 MEA	0	1	Consignment's gross weight	MEA+AAX+AAD+E4:1000'
	SG2	R	1	ShipTo	
	05 NAD	М	1	ShipTo's name and address	NAD+ST+CHA::92'
	06 LOC	R	1	Place of discharge	LOC+11+230'
L	07 LOC	R	1	Internal place of destination	LOC+7+230I'
	SG2	D	1	Seller	
	08 NAD	М	1	Seller's name and address	NAD+SE+7777::92'
	SG3	С	99	RFF	
Ш	09 RFF	М	1	Reference	RFF+ADE: DE1234567890'
	SG2	R	1	Ship from	
	10 NAD	M	1	Ship from's name and address	NAD+SF+8888::92+COMPANY X+CO MPANY NAME+MYSTREET 123+CITY X++12345+SE'
	SG2	D	1	Manufacturer	
<u> </u>	11 NAD	М	1	Manufacturers's name and address	NAD+MF+9999::92'
	SG10	R	9999	Despatch control line / group of inner	packaging items and article line
	12 CPS	R	1	Consignment packing sequence	CPS+1++1'
	SG11	R	99	Group of inner packaging items	
	13 PAC	R	1	Package	PAC+40'
	SG13	R	99	PCI-RFF-SG14-SG15	
	14 PCI	R	99	Package identification	PCI+17+++X::10'
	15 RFF	D	1	Reference	RFF+ACI:806535121'
	SG14	R	1	Vehicle Reference information	
	16 GIR	М	1	Related identification numbers	GIR+4+2345678:VV++A123456789 :AN'
	SG15	D	1	Goods Marking Information	
Ш	17 GIN	М	1	Goods identity number	GIN+ML+46827'
	SG17	R	9999	Article and Despatched Article	
	18 LIN	R	1	Line item	LIN+++1378639:IN'
	19 QTY	R	1	Despatched quantity	QTY+12::C62'
	20 GIN	D	100	Serial Number(s)	GIN+BN+1234567'
	SG18	R	1	Order reference	
Ш	21 RFF	R	1	Order reference	RFF+ON:1234501'
	22 UNT	М	1	Message trailer	UNT+22+1'




Title
SCANIA DESADV FOR SEQUENCE
Issue Date
2022-04-11

Date


2023-05-24

1.1 Info class Public Page 7 / 33






Title Issue
SCANIA DESADV FOR SEQUENCE 1.1
Issue Date Info class
2022-04-11 Public
Date Page
2023-05-24 8 / 33






Title Issue SCANIA DESADV FOR SEQUENCE 1.1
Issue Date Info class 2022-04-11 Public Page 2023-05-24 9 / 33





Title Issue
SCANIA DESADV FOR SEQUENCE 1.1
Issue Date Info class
2022-04-11 Public
Date Page
2023-05-24 10 / 33







Title
SCANIA DESADV FOR
SEQUENCE
Issue Date
2022-04-11
Date
2023-05-24

Issue
1.1
Info class
Public
Page
11 / 33

SEGMENT DETAILS

UNH

Seq. No.: 1 Status: M MaxRep: 1 Message header

	Name	St Forma	Use / Remarks	Example
UNH				UNH
0062	Message reference number	M an14	Message Reference Number;	+1
S009	Message identifier	М		
0065	Message type	M an6		+DESADV
			DESADV Despatch advice message	. 5
0052	Message version number	M an3		:D
			D Draft version/UN/EDIFACT Directory	
0054	Message release number	M an3	Zir cotor y	:08A
			08A Release 2008 - A	
0051	Controlling agency, coded	M an3		: UN
			UN UN/CEFACT	
0057	Association assigned code	R an6	GBSA11;	:GBSA11'

Example: UNH+1+DESADV:D:08A:UN:GBSA11'



Title SCANIA DESADV FOR SEQUENCE Issue Date 2022-04-11 Date 2023-05-24 Issue
1.1
Info class
Public
Page
12 / 33

SEGMENT DETAILS

BGM

Seq. No.: 2 Status: M Beginning of message

MaxRep: 1

	Name	St Forma	Use / Remarks	Example
BGM				BGM
C002	Document/message name	R		
1001	Document name code	R an3	;Code specifying the type or subtype of the business document. Use UN/EDIFACT code list 1001 and JAI code list JAI001 351 Despatch advice	+351
C106	Document/message identification	С		
1004	Document identifier	R an17	Unique identifier of a document. Synonym: Document Number;	+546756'

Example: BGM+351+546756'



Title SCANIA DESADV FOR SEQUENCE Issue Date 2022-04-11 Date 2023-05-24 Issue
1.1
Info class
Public
Page
13 / 33

SEGMENT DETAILS

DTM

Seq. No.: 3 Status: R MaxRep: 1 Date/time/period

	Name	St Forma	Use / Remarks	Example
DTM				DTM
C507	Date/time/period	М		
2005	Date or time or period function code qualifier	M an3		+137
2380	Date or time or period text	R an12	137 Document issue date time Date, on which a document or business signal was issued.;	:200809041102
2379	Date or time or period format code	R an3		:203'

203 CCYYMMDDHHMM

Example: DTM+137:200809041102:203'



Title SCANIA DESADV FOR SEQUENCE Issue Date 2022-04-11 Date 2023-05-24 1.1 Info class Public Page 14 / 33

SEGMENT DETAILS

MEA

Seq. No.: 4 Status: O MaxRep: 1 Measurements

	Name	St Forma	Use / Remarks	Example
MEA				MEA
6311	Measurement purpose code qualifier	M an3		+AAX
			AAX Consignment measurement	
C502	Measurement details	R		
6313	Measured attribute code	R an3		+AAD
			AAD Consignment gross weight	
C174	Value/range	С		
6411	Measurement unit code	M an8		+E4
6314	Measure	C an18		:1000'

Weight in full kilogram without decimals.; **Example:** MEA+AAX+AAD+E4:1000'



Title
SCANIA DESADV FOR
SEQUENCE
Issue Date
2022-04-11
Date
2023-05-24

1.1 Info class Public Page 15 / 33

SEGMENT DETAILS

SG2 Status: R ShipTo

MaxRep: 1

This informmation will be collected from NAD+ST in DELJIT D04A;

NAD

Seq. No.: 5 Status: M Name and address

Status: M MaxRep: 1

	Name	St Forma	Use / Remarks	Example
NAD				NAD
3035	Party function code qualifier	M an3	OT Objects	+ST
			ST Ship to	
C082	Party identification details	R		
3039	Party identifier	R an9		+CHA
3055	Code list responsible agency code	R an3		: 92
C058	Name and address	N	not used	
C080	Party name	N	not used	
C059	Street	N	not used	
C819	Country subdivision details	N	not used	

The party to which goods are to be shipped (consigned).;

Example: NAD+ST+CHA::92'



Document type SPECIFICATION

Approved by (department acronym, name)

Mie Åstrand, OISE

Issued by (department acronym name phone)
Scania SupplyChain Support

Title SCANIA DESADV FOR SEQUENCE Issue Date 2022-04-11 Issue
1.1
Info class
Public
Page
16 / 33

2023-05-24

Date

SEGMENT DETAILS

SG2 Status: R ShipTo

MaxRep: 1

This informmation will be collected from NAD+ST in DELJIT D04A;

LOC

Seq. No.: 6

Place/location identification

C s

Status: R MaxRep: 1

	Name	St Forma	Use / Remarks	Example
LOC				LOC
3227	Location function code qualifier	M an3	11 Place of discharge	+11
C517 3225	Location identification Location identifier	R R an17	Identifier / code specifying the name of a location.;	+230'

Shall be collected from LOC+11 in the DELJIT;

Example: LOC+11+230'





Document type **SPECIFICATION**

Approved by (department acronym, name)

Mie Åstrand, OISE

Issued by (department acronym name phone) Scania SupplyChain Support

Title SCANIA DESADV FOR **SEQUENCE** Issue Date 2022-04-11 Date

2023-05-24

Issue 1.1 Info class **Public** Page 17 / 33

SEGMENT DETAILS

SG2 Status: ShipTo

MaxRep: 1

This informmation will be collected from NAD+ST in DELJIT D04A;

LOC

Seq. No.: 7

Place/location identification

Status: MaxRep: 1

	Name	St Forma	Use / Remarks	Example
LOC				LOC
3227	Location function code qualifier	M an3	7 Place of delivery	+7
C517 3225	Location identification Location identifier	R R an17		+2301'

An internal location within the ship-to's premises, where goods are moved to after they have been unloaded, e.g. an assembly line. This information must be collected from the most recent DELJIT message LOC+159.;

Example: LOC+7+2301'



Title
SCANIA DESADV FOR
SEQUENCE
Issue Date
2022-04-11
Date
2023-05-24

Issue 1.1 Info class Public Page 18 / 33

SEGMENT DETAILS

SG2

Status: D Seller

MaxRep: 1

This segment group is required when Ship From and Seller have been allocated with

different numbers by the Buyer.;

NAD Seq. No.: 8 Name an Status: M

MaxRep: 1

Name and address

	Name	St Forma	Use / Remarks	Example
NAD				NAD
3035	Party function code qualifier	M an3		+SE
			SE Seller	
C082	Party identification details	R		
3039	Party identifier	M an9		+7777
3055	Code list responsible agency code	R an3		: 92
		:	92 Assigned by buyer or buyer agent	s
C058	Name and address	N	not used	
C080	Party name	N	not used	
C059	Street	N	not used	
C819	Country subdivision details	N	not used	

Example: NAD+SE+7777::92'



Document type SPECIFICATION

Approved by (department acronym, name)

Mie Åstrand, OISE

Issued by (department acronym name phone)
Scania SupplyChain Support

Title SCANIA DESADV FOR SEQUENCE Issue Date 2022-04-11 Date

2023-05-24

Issue
1.1
Info class
Public
Page
19 / 33

SEGMENT DETAILS

SG2 Status: D Seller

MaxRep: 1

This segment group is required when Ship From and Seller have been allocated with

different numbers by the Buyer.;

SG3 Status: C RFF

MaxRep: 99

RFF Seq. No.: 9 Reference Status: M

MaxRep: 1

	Name	St Forma	Use / Remarks	Example
RFF				RFF
C506	Reference	М		
1153	Reference code qualifier	M an3		+ADE
			ADE Account number	
1154	Reference identifier	R an70	Supplier Bank Account number;	:DE1234567890'

Used in self-billing scenario;

Example: RFF+ADE:DE1234567890'



Title SCANIA DESADV FOR SEQUENCE Issue Date 2022-04-11 Date 2023-05-24 Issue
1.1
Info class
Public
Page
20 /
33

SEGMENT DETAILS

SG2 Status: R Ship from

MaxRep: 1

Ship from (Consignor) should be collected from NAD+SF in DELJIT D04A;

NAD

Seq. No.: 10 Status: M Name and address

NAD Status: M MaxRep: 1

	Name	St Forma	Use / Remarks	Example
NAD		,		NAD
3035	Party function code qualifier	M an3	SF Ship from	+SF
C082	Party identification details	R		
3039	Party identifier	R an20	Unique identification of a party by an ID.;	+8888
3055	Code list responsible agency code	R an3	Code specifying the agency responsible for a code list.; 92 Assigned by buyer or buyer's agent	: 92
C058	Name and address	С		
3124	Name and address description	M an35		+COMPANY X
3124	Name and address description	C an35		:
3124	Name and address description	C an35		:
3124	Name and address description	C an35		:
3124	Name and address description	C an35		:
C080	Party name	С		
3036	Party name	M an35		+COMPANY NAME
3036	Party name	C an35		:
C059	Street	С		
3042	Street and number or post office box identifier	M an35		+MYSTREET 123
3042	Street and number or post office box identifier	C an35		:
3164	City name	C an35		+CITY X
C819	Country subdivision details	С		
3229	Country subdivision identifier	C an9		+
				+12345



Title SCANIA DESADV FOR SEQUENCE Issue Date 2022-04-11 Date 2023-05-24 Issue
1.1
Info class
Public
Page
21 / 33

SEGMENT DETAILS

	Name	St Forma	Use / Remarks	Example
3251	Postal identification code	C an17		
3207	Country identifier	C a2		+SE'

Example: NAD+SF+8888::92+COMPANY X+COMPANY NAME+MYSTREET 123+CITY X++12345+SE'



Title SCANIA DESADV FOR **SEQUENCE** Issue Date 2022-04-11 Date 2023-05-24

Issue 1.1 Info class **Public** Page 22 33

SEGMENT DETAILS

SG2

Status: Manufacturer

MaxRep: 1

This segment group is required when Ship From and Manufacturer have been allocated

different numbers by the Buyer.;

Seq. No.: 11 NAD

Status: M

Name and address

MaxRep: 1

	Name	St Forma	Use / Remarks	Example
NAD				NAD
3035	Party function code qualifier	M an3		+MF
			MF Manufacturer of goods	
C082	Party identification details	R		
3039	Party identifier	R an9	Unique identification of a party by an ID.;	+9999
3055	Code list responsible agency code	R an3	Code specifying the agency responsible for a code list.;	: 92
			92 Assigned by buyer or buyer's agent	
C058	Name and address	N	not used	
C080	Party name	N	not used	
C059	Street	N	not used	
C819	Country subdivision details	N	not used	

Example: NAD+MF+9999::92'





Document type
SPECIFICATION
Approved by (department acronym, name)
Mie Åstrand, OISE

Issued by (department acronym name phone)
Scania SupplyChain Support

Title SCANIA DESADV FOR SEQUENCE Issue Date 2022-04-11 Date

2023-05-24

Issue
1.1
Info class
Public
Page
23 /
33

SEGMENT DETAILS

SG10

Status: R Despatch control line / group of inner packaging items and article line

MaxRep: 9999

CPS Seq. No.: 12 Consignment packing sequence Status: R

MaxRep: 1

	Name	St Forma	Use / Remarks	Example
CPS				CPS
7164	Hierarchical structure level identifier	R n6	Line Number; Sequential number generated by the sender to identify a line item within a message.;	+1
7075	Packaging level code	R an3		+1'
			1 Inner	

Example: CPS+1++1'



Scania SupplyChain Support

Title SCANIA DESADV FOR **SEQUENCE** Issue Date 2022-04-11 Date 2023-05-24

Issue 1.1 Info class **Public** Page 24 33

SEGMENT DETAILS

SG10 Status: Despatch control line / group of inner packaging items and article line

MaxRep: 9999

SG11 Status: R Group of inner packaging items

MaxRep: 99

One package per CPS loop with information on reference to Manufacturing to reference

number, Serial number and all articles in the package.;

Seq. No.: 13 PAC

Status: R

Package

MaxRep: 1

	Name	St Forma	Use / Remarks	Example
PAC				PAC
7224	Package quantity	R n6	Number of packages.;	+40
C531	Packaging details	С		
7075	Packaging level code	C an3		+
7233	Packaging related description code	C an3		:
7073	Packaging terms and conditions code	C an3		:
C202	Package type	С		
7065	Package type description code	C an17		+
1131	Code list identification code	C an17		:
3055	Code list responsible agency code	C an3		:
C402	Package type identification	С		
7077	Description format code	C an3		+
7064	Type of packages	C an35		:
C532	Returnable package details	С		
8395	Returnable package freight payment responsibility code	C an3		+
8393	Returnable package load contents code	C an3		:'

Example: PAC+40'





Document type
SPECIFICATION
Approved by (department acronym, name)
Mie Åstrand, OISE
Issued by (department acronym name pho

Issued by (department acronym name phone)
Scania SupplyChain Support

Title
SCANIA DESADV FOR
SEQUENCE
Issue Date
2022-04-11
Date
2023-05-24

Issue
1.1
Info class
Public
Page
25 /
33

SEGMENT DETAILS

SG10 Status: R Despatch control line / group of inner packaging items and article line

MaxRep: 9999

SG11 Status: R Group of inner packaging items

MaxRep: 99

One package per CPS loop with information on reference to Manufacturing to reference

number, Serial number and all articles in the package.;

SG13 Status: R PCI-RFF-SG14-SG15

MaxRep: 99

Seq. No.: 14 Package identification

Status: R MaxRep: 99

PCI

	Name	St Forma	Use / Remarks	Example
PCI				PCI
4233	Marking instructions code	R an3	17 Seller's instructions	+17
C210	Marks & labels	С		
7102	Shipping marks description	C an35		+
C827	Type of marking	R		
7511	Marking type code	R an3	Qualifier S;This qualifier is only to be used in agreement with the PRU on extra shipments S Simplified handling unit X Sequence Handling Unit (1)	+x
3055	Code list responsible agency code	R an3		:10'
			10 ODETTE	

Example: PCI+17+++x::10'





Title
SCANIA DESADV FOR
SEQUENCE
Issue Date
2022-04-11
Date
2023-05-24

Issue
1.1
Info class
Public
Page
26 /
33

SEGMENT DETAILS

SG10

Status: R Despatch control line / group of inner packaging items and article line

MaxRep: 9999

SG11 Status: R Group of inner packaging items

MaxRep: 99

One package per CPS loop with information on reference to Manufacturing to reference

number, Serial number and all articles in the package.;

SG13 Status: R PCI-RFF-SG14-SG15

MaxRep: 99

RFF Status: D Reference

Status: D MaxRep: 1

	Name	St Forma	Use / Remarks	Example
RFF				RFF
C506	Reference	R		
1153	Reference code qualifier	R an3		+ACI
			ACI Outerpackaging unit identification	
1154	Reference identifier	R an9		:806535121'

To be used only when PCI 7511 is M or G.;

Example: RFF+ACI:806535121'





Document type
SPECIFICATION
Approved by (deportment

Approved by (department acronym, name)

Mie Astrand, OISE

SG10

Issued by (department acronym name phone)
Scania SupplyChain Support

Title SCANIA DESADV FOR SEQUENCE Issue Date 2022-04-11 Issue
1.1
Info class
Public
Page
27 /
33

SEGMENT DETAILS

Status: R Despatch control line / group of inner packaging items and article line

Date

2023-05-24

MaxRep: 9999

SG11 Status: R Group of inner packaging items

MaxRep: 99

One package per CPS loop with information on reference to Manufacturing to reference

number, Serial number and all articles in the package.;

SG13 Status: R PCI-RFF-SG14-SG15

MaxRep: 99

SG14 Status: R Vehicle Reference information

MaxRep: 1

GIR Seq. No.: 16 Related identification numbers
Status: M

Status: M MaxRep: 1

	Name	St Forma	Use / Remarks	Example
GIR				GIR
7297	Set type code qualifier	M an3	4 Vehicle reference set	+4
C206	Identification number	D		
7402	Object identifier	R an10	This information must be collected from GIR+4 in the most recent DELJIT message.;	+2345678
7405	Object identification code qualifier	C an3		:vv
C206	Identification number	D		
7402	Object identifier	D an35		+12345678
7405	Object identification code qualifier	D an3	Only if PRU sends information in GIR+1	: AB
			AB 1st structure element name	
C206	Identification number	R		
7402	Object identifier	R an35	This information must be collected from GIR+14 in the most recent DELJIT message.;	+A123456789
7405	Object identification code qualifier	R an3		: AN '
			AN Manufacturing reference number	

Example: GIR+4+2345678:VV+12345678:AB+A123456789:AN'





Scania SupplyChain Support

Title
SCANIA DESADV FOR
SEQUENCE
Issue Date
2022-04-11
Date
2023-05-24

Issue
1.1
Info class
Public
Page
28 /
33

SEGMENT DETAILS

SG10 Status: R Despatch control line / group of inner packaging items and article line

MaxRep: 9999

SG11 Status: R Group of inner packaging items

MaxRep: 99

One package per CPS loop with information on reference to Manufacturing to reference

number, Serial number and all articles in the package.;

SG13 Status: R PCI-RFF-SG14-SG15

MaxRep: 99

SG15 Status: D Goods Marking Information

MaxRep: 1

GIN Seq. No.: 17 Goods identity number Status: M

Status: M MaxRep: 1

	Name	St Forma	Use / Remarks	Example
GIN				GIN
7405	Object identification code qualifier	R an3		+ML
			ML Marking/label number	
C208	Identity number range	М		
7402	Object identifier	R an9		+46827'

Example: GIN+ML+46827'



Title SCANIA DESADV FOR SEQUENCE Issue Date 2022-04-11 Date 2023-05-24 Issue
1.1
Info class
Public
Page
29 /
33

SEGMENT DETAILS

SG10 Status: R Despatch control line / group of inner packaging items and article line

MaxRep: 9999

SG17 Status: R Article and Despatched Article

MaxRep: 9999

Seq. No.: 18 Line item
Status: R

Status: R MaxRep: 1

	Name	St Forma	Use / Remarks	Example
LIN				LIN
C212	Item number identification	R		
7140	Item identifier	R an7	Article Number;	+1378639
7143	Item type identification code	R an3		:IN
			IN Buyer's item number	
C829	Sub-line information	N	not used	

Example: LIN+++1378639:IN'



Title SCANIA DESADV FOR SEQUENCE Issue Date 2022-04-11 Date 2023-05-24 Issue
1.1
Info class
Public
Page
30 /
33

SEGMENT DETAILS

SG10 Status: R Despatch control line / group of inner packaging items and article line

MaxRep: 9999

SG17 Status: R Article and Despatched Article

MaxRep: 9999

QTY Seq. No.: 19 Quantity Status: R

MaxRep: 1

	Name	St Forma	Use / Remarks	Example
QTY				QTY
C186	Quantity details	М		
6063	Quantity type code qualifier	M an3		+12
			12 Despatch quantity	
6060	Quantity	M n9		:
6411	Measurement unit code	R an3		:C62'
			C62 one	

Example: QTY+12::C62'



Title
SCANIA DESADV FOR
SEQUENCE
Issue Date
2022-04-11
Date
2023-05-24

1.1 Info class Public Page 31 / 33

SEGMENT DETAILS

SG10 Status: R Despatch control line / group of inner packaging items and article line

MaxRep: 9999

SG17 Status: R Article and Despatched Article

MaxRep: 9999

GIN Seq. No.: 20 Goods identity number Status: D

MaxRep: 100

	Name	St Forma	Use / Remarks	Example
GIN				GIN
7405	Object identification code qualifier	R an3	Identity Number Type ;	+BN
			BN Serial number	
C208	Identity number range	R		
7402	Object identifier	M an35	Unique number affixed by the manufacturer to individual pieces of products for identification purposes.;	+1234567'

This segment will only be used in special conditions and has to be requested by Scania.;

Example: GIN+BN+1234567'



Title SCANIA DESADV FOR SEQUENCE Issue Date 2022-04-11 Date 2023-05-24 Issue
1.1
Info class
Public
Page
32 /
33

SEGMENT DETAILS

SG10 Status: R Despatch control line / group of inner packaging items and article line

MaxRep: 9999

SG17 Status: R Article and Despatched Article

MaxRep: 9999

SG18 Status: R Order reference

MaxRep: 1

RFF Status: R

Status: R MaxRep: 1

	Name	St Forma	Use / Remarks	Example
RFF				RFF
C506	Reference	R		
1153	Reference code qualifier	R an3		+ON
			ON Order document identifier, buyer assigned	
1154	Reference identifier	R an7	Unique identifier of an order number. To be collected from latest DELJIT D04A message;	:1234501'

Example: RFF+ON:1234501'



Title
SCANIA DESADV FOR
SEQUENCE
Issue Date
2022-04-11
Date
2023-05-24

Issue
1.1
Info class
Public
Page
33 /
33

SEGMENT DETAILS

UNT

Seq. No.: 22 Status: M Message trailer

MaxRep: 1

	Name	St Forma	Use / Remarks	Example
UNT				UNT
0074	Number of segments in a message	M n10	Number of segments in the message ;	+22
0062	Message reference number	M an14	Message reference number ;	+1'

Example: UNT+22+1'